AGENDA

BALDWIN HILLS COMMUNITY STANDARDS DISTRICT COMMUNITY ADVISORY PANEL (CAP) MEETING

ONLINE MEETING Thursday September 26, 2024 @ 6:00 PM

NOTICE

All Baldwin Hills Community Standards District (CSD) – Community Advisory Panel (CAP) meetings will continue meeting virtually (online) and by teleconference until further notice.

OBSERVING THE MEETING

To observe the meeting without providing public comment, go to (<u>https://planning-lacounty-gov.zoom.us/j/87460627374</u>), or dial (669) 444-9171 (Meeting ID: 874 6062 7374).

PROVIDING VERBAL PUBLIC COMMENT

To provide verbal public comment during the meeting, go to: (<u>https://planning-lacounty-gov.zoom.us/j/87460627374</u>), or dial (669) 444-9171 (Meeting ID: 874 6062 7374) and send an email to <u>edelatorre@planning.lacounty.gov</u> with first name, last name, and phone number.

- A. Call to Order
- **B.** Approval of Agenda
- C. Regional Planning/ECC
 - General Updates
- **D.** Operator Update
- E. CAP/Open Discussion on the BHCSD
 - DPH Community Health Assessment Advisory Panel (CHAAP) Update
- F. Public Comment
- G. Approval of Minutes
 - August 22, 2024
- H. Announcements/Adjourn
 - Next CAP: October 24, 2024 Virtual Meeting

AGENDA

Rules of Engagement: In an effort to respect individuals' time and different opinions, please follow this basic set of guidelines. This will allow for meaningful discussion within a short amount of time.

- 1. Show up on time and prepared with your thoughts
- 2. Stay focused on meeting agenda items
- 3. Allow all attendees to participate and speak up
- 4. Do not interrupt others while speaking
- 5. Do not engage in side conversations during the meeting.

Baldwin Hills Community Standards District website: http://planning.lacounty.gov/long-range-planning/baldwin-hills-csd/ Inglewood Oil Field website: http://www.inglewoodoilfield.com/

REQUIRED NOTIFICATION:

Sentinel Peak Resources OMBUDSPERSON – David Budy, <u>dbudy@sentinelpeakresources.com</u> 5640 S. Fairfax Avenue, Los Angeles, CA 90056 24-hour Contact Number: (800) 766-4108